

PRACTICE QUESTION (SET-54)

1. 'Fishy odor' of vaginal secretion indicate
 - (a) Haemophilus vaginalis
 - (b) Syphilis
 - (c) Gonorrhea
 - (d) Trichomoniasis
2. Antidote of magnesium sulphate?
 - (a) Potassium chloride
 - (b) Calcium chloride
 - (c) Calcium gluconate
 - (d) Atropine
3. One client is admitted with hyperemesis gravidarum, which should be monitored?
 - (a) BP
 - (b) PR
 - (c) Urine sugar
 - (d) Urine ketones
4. Around ovulation, body T° rises upto
 - (a) 0.2°F
 - (b) 1°F
 - (c) 1.5°F
 - (d) None
5. Fetal blood flow through placenta per minute is
 - (a) 200 ml/mt
 - (b) 800 ml/mt
 - (c) 400 ml/mt
 - (d) 600 ml/mt
6. Herniation through vagina which contains loops of bowel is called
 - (a) Rectocele
 - (b) Enterocoele
 - (c) Ureterocele
 - (d) Cystocele
7. Which is contraindicated during pregnancy?
 - (a) Hep B vaccination
 - (b) Zidovudine therapy
 - (c) DOTS
 - (d) None
8. Rubella should be administered through
 - (a) IV
 - (b) IM
 - (c) ID
 - (d) SC
9. Which drug can cause neurotoxicity in fetus
 - (a) INH
 - (b) Rifampicin
 - (c) Pyrazinamide
 - (d) Ethambutol
10. Amniotic fluid is draining from vagina stained with meconium, which position to be provided.
 - (a) Trendelenberg
 - (b) Side lying
 - (c) Prone
 - (d) Knee chest
11. Which is not a P of 4 P's of safe delivery
 - (a) Passageway
 - (b) Passenger
 - (c) Psyche
 - (d) Potentiality
12. At term the normal amount of amniotic fluid should be
 - (a) 600 ml
 - (b) 1000 ml
 - (c) 1500 ml
 - (d) 2000 ml
13. A contraction stress test is +ve that means
 - (a) Fetus is not able to tolerate labor
 - (b) Fetus is able to tolerate labor
 - (c) Mother is producing enough amount of oxytocin
 - (d) Mother is not able to produce oxytocin
14. Dystocia means
 - (a) Normal labour
 - (b) Difficult, painful labour
 - (c) Abnormal uterine tone
 - (d) Abnormal delivery
15. The drug of choice to inhibit cell division in growing embryo is
 - (a) Pitocin
 - (b) Methotrexate
 - (c) Folic acid
 - (d) Progesterone
16. The confirmatory laboratory test for HIV is
 - (a) ELISA
 - (b) VDRL
 - (c) Western blot
 - (d) Widal
17. A mother suffering from thrombophlebitis of femoral vein should do
 - (a) Massage the leg
 - (b) Cross the legs
 - (c) Avoid prolonged sitting
 - (d) Put pressure behind knee
18. A nurse should assess 'LATCH', she understood that it is related with
 - (a) Labor process
 - (b) PPH
 - (c) APH
 - (d) Breast feeding

19. After amniocentesis position to give is
 - (a) Supine
 - (b) Prone
 - (c) Lt side
 - (d) Rt side
20. After 3rd stage of labor, a nurse palpates the uterus and find the uterus is
 - (a) Firm and locate below the umbilicus
 - (b) Tenderness and above umbilicus
 - (c) Firm and above umbilicus
 - (d) Soft and below umbilicus
21. Kidney started to form the urine at what age of fetal development
 - (a) Beginning of 1st trimester
 - (b) End of 1st trimester
 - (c) Middle of 2nd trimester
 - (d) End of 2nd trimester
22. Complete lung maturity of fetus occurs at age of
 - (a) 28 weeks
 - (b) 32 weeks
 - (c) 36 weeks
 - (d) 40 weeks
23. Early cord clamping is done in all except
 - (a) RH isoimmunization
 - (b) Fetal asphyxia
 - (c) Post maturity
 - (d) Pre maturity
24. Tubal pregnancy is least common in
 - (a) Ampulla
 - (b) Isthmus
 - (c) Interstitial position
 - (d) None
25. Increased length of menstrual cycle >35 days is
 - (a) Metorrhagia
 - (b) Hypomenorrhea
 - (c) Polymenorrhea
 - (d) Digomenorrhea
26. Women at puerperium is called as
 - (a) Parturient
 - (b) Multipara
 - (c) Primipara
 - (d) Puerpera
27. In which cases oxytocin is contraindicated?
 - (a) Grand multipara
 - (b) Contracted pelvis
 - (c) History of Hysterotomy
 - (d) All
28. Methergin is semisynthetic product derived from
 - (a) Vinca alkaloid
 - (b) Lyser
 - (c) Lysergic acid
 - (d) All
29. Which of the following prostaglandin gel is the gold standard for cervical ripening as a local applicant?
 - (a) PGF₂
 - (b) PGE₂
 - (c) PGI₂
 - (d) All the above
30. Pelvic cellulitis is otherwise called as
 - (a) Vulvitis
 - (b) Perinitis
 - (c) Pelvic abscess
 - (d) Parametritis
31. Commonest form of obstetric palsy in puerperium?
 - (a) Erb's palsy
 - (b) Bell's palsy
 - (c) Foot drop
 - (d) Klumpke's palsy
32. White leg is related to
 - (a) Pelvic hematoma
 - (b) Pelvic thrombo phelbitis
 - (c) Parametritis
 - (d) None
33. Transient state of mental illness observed 4-5 days after delivery is
 - (a) Puerperal blues
 - (b) Postpartum depression
 - (c) Postpartum psychosis
 - (d) Postpartum mania
34. Which is an example of galactogogues
 - (a) Metoclopramide
 - (b) Bromocriptin
 - (c) Ranitidine
 - (d) Both b and c
35. Example of endogenous micro organism of the genital tract
 - (a) E. coli
 - (b) Anaerobic streptococcus
 - (c) Staphylococcus
 - (d) All the above
36. Grafenberg ring is a
 - (a) IUD
 - (b) Multiload CuT
 - (c) Foam
 - (d) Diaphragm
37. Which of the following in high risk for preterm labour
 - (a) 35 year old primigravida
 - (b) 20 year old primigravida
 - (c) GDM

- (d) Client with history of cardiac disease
38. A woman has history of spontaneous abortion 2 times, which infection nurse should suspect
- Toxoplasmosis
 - German measles
 - Chlamydia
 - Herpes simplex
39. In which trimester maternal immunoglobulin passes to fetus through placenta
- 1st
 - 2nd
 - 3rd
 - 4th
40. During lactation the additional calories requirement for mother
- +300 cal/day
 - +500 cal/day
 - +1000 cal/day
 - +700 cal/day
41. The hormone that stimulates the production of breast milk
- Oxytocin
 - Prolactin
 - Oestrogen
 - Lactogen
42. Fetus gets maternal immunoglobulin from mother through placenta, this is a
- Active immunity
 - Passive immunity
 - Innate immunity
 - Natural active immunity
43. The laboratory finding in severe preeclampsia
- Decreased Hb
 - Increased urine output
 - Increased aspartate amino transferase
 - Thrombocytopenia
44. This infection is responsible for premature rupture of membrane is
- Gonorrhea
 - Syphilis
 - Chlamydia
 - Trichomoniasis
45. After 7 days of delivery, the flow from vagina is known as
- Menstrual flow
 - Lochia Rubra
 - Lochia serosa
 - Lochia alba
46. An infection is said to be postpartum infection, if it occurs within
- 28 hrs
 - 48 hrs
 - 15 days
 - 28 days
47. A 6 week old product of conception of womb is known as
- Ovum
 - Embryo
 - Fetus
 - Immature baby
48. Chorionic virus sampling is done at
- 4th wk
 - 8th wk
 - 12th wk
 - 16th wk
49. Eisenmenger's syndrome is hypertension with
- Mitral stenosis
 - Mitral regurgitation
 - Rt to Lt shunt
 - Lt to Rt shunt
50. Amount of amniotic fluid collected for amniocentesis
- 20 ml
 - 30 ml
 - 10 ml
 - 50 ml

ANSWERS

1	A	26	D
2	B	27	D
3	D	28	C
4	B	29	B
5	C	30	D
6	B	31	C
7	D	32	B
8	D	33	A
9	A	34	A
10	B	35	B
11	D	36	A
12	A	37	D
13	A	38	B
14	B	39	C
15	B	40	B
16	C	41	B
17	C	42	B
18	D	43	D
19	C	44	D
20	A	45	C
21	B	46	D
22	C	47	B
23	D	48	C
24	C	49	C
25	D	50	B