

PRACTICE QUESTION (SET-12)

1. Apgar score for colour done at 5 minutes after birth is recorded as 2. It indicates
 - (a) Pallor
 - (b) Body pink, extremities blue
 - (c) Cyanosed
 - (d) Pink
2. Sudden jarring causes sudden extension and abduction of extremities and fanning of fingers in a newborn is called
 - (a) Moro reflex
 - (b) Startle reflex
 - (c) Tonic neck reflex
 - (d) Rooting reflex
3. Persistence of foramen ovale leads to
 - (a) VSD
 - (b) ASD
 - (c) PDA
 - (d) TOF
4. Diabetes insipidus due to deficiency of
 - (a) Insulin
 - (b) Antidiuretic hormone
 - (c) Glucocorticoid
 - (d) Thyroxine
5. Pawlik's manœuvre is used
 - (a) To give fundal pressure
 - (b) Locate fetal back
 - (c) To assess the size and mobility of fetal head
 - (d) To diagnose lie and presentation of fetus
6. The part of fetus that lies at the pelvic brim is called
 - (a) Lie
 - (b) Denominator
 - (c) Presentation
 - (d) Attitude
7. For giving soap and water enema the height of enema can from anus is
 - (a) 10 inches
 - (b) 8 inches
 - (c) 9 inches
 - (d) 18 inches
8. P.r.n. means
 - (a) If necessary in emergency
 - (b) Every hourly
 - (c) When required
 - (d) Each night
9. Which of the following is a natural family planning method?
 - (a) Abstinence
 - (b) Cu-T
 - (c) Condom
 - (d) Tubectomy
10. Which of the following is true for cephalohematoma?
 - (a) Swelling appear immediately after birth
 - (b) Pitting on pressure
 - (c) Scalp is movable
 - (d) It does not cross suture
11. Adenoma is a tumour originating from the
 - (a) Glands
 - (b) Fibrous tissue
 - (c) Mucus
 - (d) Muscles
12. In face presentation the attitude of head is,
 - (a) Extension
 - (b) Complete extension
 - (c) Deflexion
 - (d) Flexion
13. Deep transverse arrest is a complication is
 - (a) Brow presentation
 - (b) Occipit anterior position
 - (c) Occipito posterior position
 - (d) Breech presentation
14. Anti pellagra vitamin is
 - (a) Niacin
 - (b) Thyamine
 - (c) Pyridoxine
 - (d) Riboflavin
15. Ophthalmia neonatrum is caused by
 - (a) Candida albicans
 - (b) E. coli
 - (c) Staphylococcus
 - (d) Gonococci
16. False belief is called
 - (a) Hallucination
 - (b) Illusion
 - (c) Delusion
 - (d) Perseveration
17. Polyhydromnios is usually, associated with
 - (a) Oesophageal atresia
 - (b) A.S.D.
 - (c) Congenital megacolon
 - (d) VSD
18. In the mechanism of normal labour flexion is followed by
 - (a) Extension of head
 - (b) Internal rotation of head
 - (c) Difficult labour
 - (d) Involuntary expulsion
19. Dystocia is
 - (a) Prolong labour
 - (b) Ineffective uterine contraction
 - (c) Difficult labour
 - (d) Involuntary expulsion
20. The personality type in which a person think that other people will harm him
 - (a) Cyclothymic
 - (b) Schizoid

- (c) Hysterical
(d) Paranoid
21. The outer layer of meninges
(a) Piamater
(b) White mater
(c) Duramater
(d) Arachnoid
22. Hypothyroidism occurring in adults
(a) Myxoedema
(b) Cretinism
(c) Simple goitre
(d) Toxic goiter
23. Anopheles mosquitoes transmit
(a) Filaria
(b) Encephalitis
(c) Malaria
(d) Yellow fever
24. Which of the following is a live attenuated vaccine
(a) Typhoid
(b) Cholera
(c) Rabies
(d) Oral polio
25. Repeated small movements of a habitual kind
(a) Mannerism
(b) Tics
(c) Compulsion
(d) Over activity
26. Wilms tumor is affecting the,
(a) Liver
(b) Kidney
(c) Bone
(d) Skin
27. Developmental task during the toddler period is
(a) Trust vs Mistrust
(b) Autonomy vs shame and doubt
(c) Initiate vs guilt
(d) Industry vs role confusion
28. The endometrium during pregnancy called?
(a) Corpus luteum
(b) Trophoblast
(c) Corpus albicans
(d) Decidua
29. Circumvallate placenta means
(a) Presence of an opaque ring on the placenta
(b) Cord is attached at the edge of placenta
(c) Cord is inserted to the membrane
(d) Presence of extra lobe in placenta
30. Blood group A contain
(a) Alpha agglutinins
(b) Beta agglutinins
(c) No agglutinin
(d) Both alpha and beta
31. Menghini needle is used for
(a) Thoracentesis
(b) Renal biopsy
(c) Liver biopsy
(d) Lumbar puncture
32. Which of the following chemical is used to test urine for albumin
(a) Ammonium sulphate
(b) Sodium nitropruside
(c) Acetic acid
(d) Liquor ammonia
33. Antitussives are drug which
(a) Inhibit cough reflex
(b) Causes contraction of tissues
(c) Arrest discharge
(d) Dilate blood vessels
34. One teaspoon is approximately
(a) 50 drops
(b) 60 drops
(c) 100 drops
(d) 120 drops
35. A small division on a tuberculin syringe is equivalent to
(a) 0.1 ml (b) 0.01 ml
(c) 1.0 ml (d) 0.5 ml
36. Pyorrhoea is
(a) Foul smelling breath
(b) Bleeding gums
(c) Pus in socket of tooth
(d) Brown crust on teeth
37. Pressure exerted by plasma protein called
(a) Hydrostatic pressure
(b) Filtration pressure
(c) Systolic B.P.
(d) Oncotic pressure
38. Antidiuretic hormone secreted by
(a) Adrenal cortex
(b) Anterior pituitary
(c) Posterior lobe of pituitary
(d) Adrenal medulla
39. The fifth cranial nerve is named as
(a) Trigeminal
(b) Trochlear
(c) Facial
(d) Abducent
40. Dysarthria is
(a) Difficult in swallowing
(b) Difficult in speaking
(c) Difficult in joint movement
(d) Abnormal involuntary movements

41. Right ventricular enlargement due to pulmonary problem is called
 (a) Cardiac tamponade
 (b) Cor pulmonale
 (c) Cardiomyopathy
 (d) Emphysema
42. The difference between systolic and diastolic B.P. is called
 (a) Pulse deficit
 (b) Pulse pressure
 (c) Mean arterial pressure
 (d) Peripheral vascular resistance
43. T-tube drainage is used after
 (a) Lobectomy
 (b) Bilirubin
 (c) Cholecystectomy
 (d) Ileostomy
44. The specific intervention is secondary prevention is
 (a) Early diagnosis
 (b) Health promotion
 (c) Disability limitation
 (d) Rehabilitation
45. Destruction of all micro organisms including their spores is called
 (a) Disinfection
 (b) Sterilisation
 (c) Antisepsis
 (d) Asepsis
46. Schick test used to diagnose
 (a) Tuberculosis
 (b) Diphtheria
 (c) Viral hepatitis
 (d) Typhoid fever
47. Which of the following vaccination should be taken for a 10 year old child as per the
 (a) TT
 (b) TAB
 (c) DT
 (d) Hepatitis B
48. One packer of oral rehydration mixture contain
 (a) 2.5 g of NaCl
 (b) 1.5 g of NaCl
 (c) 3.5 g of NaCl
 (d) 1 g of NaCl
49. Coining of new words is
 (a) Word Salad
 (b) Aphasia
 (c) Circumstantiality
 (d) Neologism
50. Inflammation of pyren patches is associated with
 (a) Typhoid fever
 (b) Hepatitis
 (c) AIDS
 (d) Cholera
51. Ramstedt's operation is done for
 (a) Hiatus Hernia
 (b) Pyloric stenosis
 (c) Congenital megacolon
 (d) Repair of cleft lip
52. Trismus is
 (a) Inability to swallow
 (b) Inability to open the jaw
 (c) Spasm of facial muscle
 (d) Repair of cleft lip
53. Flag sign is positive in
 (a) Marasmus
 (b) Beriberi
 (c) Kwashiorkor
 (d) Scurvy
54. A baby with diaphragmatic hernia is nursed with
 (a) Foot end elevated
 (b) Prone
 (c) Supine
 (d) Head slightly elevated
55. The most common cause of apnoea in a preterm baby is
 (a) Pulmonary surfactant deficiency
 (b) Pneumonia
 (c) Aspiration
 (d) Hypoglycemia
56. Spore forming bacteria
 (a) M. lapaere
 (b) V. cholerae
 (c) CL tetani
 (d) Streptococcus
57. Umbilical cord contain
 (a) One artery one vein
 (b) Two artery two vein
 (c) Two vein one artery
 (d) Two arteries one vein
58. Coronal suture separates
 (a) Frontal bone from parietal bone
 (b) Occipital bone from parietal bone
 (c) Two frontal bones
 (d) Two parietal bones
59. Bannett splint is used for
 (a) Fracture of the arms
 (b) Fracture of pelvis
 (c) Fracture of the lower limbs
 (d) Fracture of the collar bones

60. The strength of dettol solution used for disinfecting thermometer
 (a) 1:3 (b) 1:20
 (c) 1:30 (d) 1:40
61. A harsh vibrating shrill sound produced during respiration seen in longugites us
 (a) Rale (b) Wheeze
 (c) Stertorous (d) Stridor
62. Glycerine enema is an example is
 (a) Astringent enema
 (b) Purgatic enema
 (c) Emolient enema
 (d) Retention enema
63. Human albumin is an example of
 (a) Crystalloid
 (b) Aminoacid solution
 (c) Colloid solution
 (d) Fat emulsion
64. Pancuronium bromide is
 (a) Vaso constrictor
 (b) Analgesins
 (c) Anticoagulant
 (d) Muscle relaxant
65. Sign of meningeal irritation include all of the following except
 (a) Neck rigidity
 (b) Brudinski sign
 (c) Babinski sign
 (d) Kernig sign
66. Which of the following is an antifungal agent?
 (a) Amphotericin B
 (b) Adenocine arabinocide
 (c) Adriamycin
 (d) Amantidine
67. Submucosal resection is the surgical correction of
 (a) Cleft palate
 (b) Deviated nasal septum
 (c) Aneurism
 (d) Glaucoma
68. The volume of air inhaled with normal respiration is called
 (a) Vital capacity
 (b) Tidal volume
 (c) Inspiratory capacity
 (d) Lung capacity
69. Endoxan is
 (a) Adriamycin
 (b) Methotrexate
 (c) Cyclophosphamide
 (d) Mustargen
70. Stimulation of alpha adrenergic receptor produce
 (a) Vasodilation
 (b) Increased heart rate
 (c) Increased myocardial contraction
 (d) Vasoconstriction
71. Which of the following is an acyanotic cardiac defect
 (a) Transposition of great vessels
 (b) TOF
 (c) Pulmonary atresia
 (d) VSD
72. The most effective room disinfectant is
 (a) Formalin and potassium permanganate
 (b) Bleaching powder
 (c) Ethylene oxide and carbondioxide
 (d) Chlorhexidine
73. Which of the following is a protective food
 (a) Fish
 (b) Green leafy vegetables
 (c) Liver
 (d) Egg
74. Minilap operation is
 (a) Removal of a small piece each fallopian tube and ligating
 (b) The fallopian tubes are cut and ends are blocked
 (c) Removal of the fallopian tubes
 (d) Application of rings to occlude the fallopian tube
75. Rice water stool is characterized of
 (a) Cholera
 (b) Typhoid fever
 (c) Dysentery
 (d) Polimyelitis
76. Persistent irrational fear of an object
 (a) Obsession
 (b) Phobia
 (c) Compulsion
 (d) Delusion
77. Filling the gap of memory with fabrication is
 (a) Amnesia
 (b) Dejavu
 (c) Hyperamnesia
 (d) Paramnesia
78. Children with TOF assumes
 (a) Squatting
 (b) Fowlers
 (c) Sitting
 (d) Legs down
79. The birth weight of a baby will be doubled by
 (a) 3 months
 (b) 6 months

- (c) 9 months
(d) one year
80. Bitots spots is due to deficiency of
(a) Vitamin B₁₂
(b) Vitamin A
(c) Niacin
(d) Pyridoxun
81. Deficiency of clotting factor IX leads to
(a) Hemophilia
(b) Thrombocytopenia
(c) Christmas disease
(d) Thalassemia
82. Which of the following food contain first class protein
(a) Dhal
(b) Green leafy vegetables
(c) Soyabeans
(d) Cereals
83. The biparietal diameter of foetal skull is
(a) 9.5 cm (b) 8.2 cm
(c) 10 cm (d) 11.5 cm
84. Which of the following is a probable sign of pregnancy
(a) Quickening
(b) Palpable foetal parts
(c) Palpable fetal movements
(d) Blueing of vagina
85. Which of the following is definite indication of ceasarean section
(a) Breech presentation
(b) Diabetes mellitus
(c) Moderate preeclampsia
(d) Cephalo pelvic disproportion
86. Copper caring contraceptive devices acts by
(a) Preventing ovulation
(b) Prevent spermatozoa coming in contact with ovum
(c) Destruction of spermatozoa
(d) Making cervical mucous thick
87. 37°C is equal to
(a) 98.6°F (b) 98.4°F
(c) 98.8°F (d) 98°F
88. One gram of protein yields
(a) 4 calories (b) 8 calories
(c) 5 calories (d) 9 calories
89. How much drug is contained in 100 ml of 1.1000 solution
(a) 1.0 gm (b) 10 gm
(c) 0.01 gm (d) 0.1 gm
90. The enzyme which helps is digestion of fat is
(a) Ptyalin
(b) Lactase
(c) Lipase
(d) Pepsin
91. The most common side effects of streptomycin is
(a) Nephrotoxicity
(b) Hepatotoxicity
(c) Optic neurites
(d) VIII nerve damage
92. Which of the following parameter should be monitored in patients after heart valve replacement?
(a) Prothrombin time
(b) Clotting time
(c) Bleeding
(d) Platelet count
93. Patients after gastrectomy can develop
(a) Hemolytic anemia
(b) Pernicious anemia
(c) Iron deficiency anemia
(d) Follic acid deficiency anemia
94. H. pylori is associated with
(a) Ulcerative colitis
(b) Typhoid fever
(c) Peptic ulcer
(d) Crohn disease
95. Outbreath of disease in the community in excess of normal expectation is
(a) Pandemic
(b) Sporadic
(c) Endemic
(d) Epidemic
96. Koplik's spots are characteristics of
(a) German measles
(b) Measles
(c) Oral cancer
(d) Epidemic
97. SARS spread by
(a) Virus (b) Bacteria
(c) Mania (d) Protozoa
98. Waxy flexibility is a clinical features of
(a) Somnambulism (b) Hypochondriasis
(c) Mania (d) Schizophrenia
99. Disturbance in the content of thinking is called
(a) Obsession (b) Compulsion
(c) Flight of ideas (d) Elation
100. Which of the following is a neuroleptic
(a) Lithium carbonate (b) Phenelzine
(c) Lorazepam (d) Chlopramazine

ANSWERS

1	D	26	B	51	B	76	B
2	A	27	B	52	B	77	D
3	B	28	D	53	C	78	A
4	B	29	B	54	D	79	B
5	C	30	B	55	A	80	B
6	C	31	C	56	C	81	C
7	D	32	C	57	D	82	C
8	C	33	A	58	A	83	A
9	A	34	B	59	B	84	D
10	D	35	B	60	D	85	D
11	A	36	C	61	D	86	D
12	A	37	D	62	C	87	A
13	C	38	C	63	C	88	A
14	A	39	A	64	D	89	D
15	D	40	B	65	C	90	C
16	C	41	B	66	A	91	D
17	A	42	B	67	B	92	A
18	B	43	C	68	B	93	B
19	C	44	A	69	C	94	C
20	D	45	B	70	D	95	D
21	C	46	B	71	D	96	B
22	A	47	A	72	A	97	A
23	C	48	C	73	B	98	D
24	D	49	D	74	A	99	C
25	A	50	A	75	A	100	D